



国际品牌开创建装新时代

International brands are opening a new era of installation

SOWER (CHINA)

硕尔(中国)涂料有限公司



UK SOWER

SOWER (CHINA)
硕尔(中国)涂料有限公司

📍 总部:中国广州

☎ 电话:020-88888706

建涂+水性工业漆系列

CONSTRUCTION COATING +
WATER-BASED INDUSTRIAL PAINT SERIES



UK SOWER

公司简介

COMPANY INTRODUCTION

国际顶级涂料品牌硕尔(SOWER)涂料, 创于20世纪二十年代, 迄今已逾百年历史。

20世纪二十年代, 创始人硕尔(SOWER)于英国EDINBURGH(爱丁堡)开了他的店铺。创始人硕尔(SOWER)先生沿袭了欧洲文艺复兴时期的艺术气息与雕刻家工匠的匠心独运。从英国的爱丁堡到意大利的佛罗伦萨, 他在寻找带着灵感的建筑涂饰。从米开朗基罗的绘画作品中寻找色彩的原素, 从多那泰罗的作品中寻找艺术的精髓, 奠定了硕尔(SOWER)涂料的优越与众不同的品牌价值!

创始人硕尔(SOWER)独辟蹊径将色彩创作艺术融入涂料制作, 一改传统涂料的刻板单调, 风格上的迥异, 硕尔(SOWER)涂料在建筑涂层上展现出艺术价值引起皇室成员的关注, 被纳为英皇室优选。

The international top paint brand SOWER paint, founded in the 1920s, has a history of more than 100 years.

In the 1920s, founder Sower opened his shop in Edinburgh, England. The founder, Mr. Sower, inherited the artistic atmosphere of the European Renaissance and the ingenuity of sculptors and craftsmen. From Edinburgh, England, to Florence, Italy, he looked for architectural finishes with inspiration. From Michelangelo's paintings to find the original elements of color, from Donatello's works to find the essence of art, laid the foundation of the superior and different brand value of SOWER paint!

The founder of Sower (Sower) has a unique way to integrate the art of color creation into the production of paint, a change of the traditional paint monotonous, the style is very different, SOWER paint in the architectural coating to show the artistic value caused the attention of the royal family, was selected as the British royal family.

2020年硕尔(SOWER)开始在中国投资建设, 拥有从英国等地引进的技术先进的实验检测生产设备, 将品牌自有的英式文化基因与中国传统美学相结合, 始终将建筑外立面与内墙饰面艺术风格多样化作为涂料产品设计理念; 始终致力于打造功能性与艺术性相结合的品牌价值; 始终延续着服务英国皇室所秉承的格调, 融入对每位中国客户应用场景的精心设计施工。

硕尔(SOWER)负责产品技术研发应用, 硕尔(SOWER)中国公司负责产品推广设计施工。面对中国广袤市场, 硕尔(SOWER)采用中心驱动外延战略手段, 营销渠道依托于国家区域中心城市, 并向其他城市辐射, 而今已建立起稳固的经销渠道。设置了以广州为中心的华南大区、以北京为中心的华北大区、以武汉为中心的华中大区, 以成都为中心的西南大区, 并向周边城市延伸。

硕尔(SOWER)涂料将多功能树脂作为基础应用开发端, 主要发展了诸如高性能聚氨酯、PMMA树脂、双马来酰亚胺树脂、特种异氰酸酯、脂肪族异氰酸酯和丙烯酸树脂, FEP、高性能硅树脂等特种材料。以此为依托, 重塑了整个建筑涂料体系, 包括各种质感内外墙涂料体系, 如乳胶漆、氟碳漆、真石漆、水包水、水包砂等产品系列; 同时推动了地坪体系涂料快速走向工业5.0体系, 在无溶剂硅树脂领域, 替代了传统的环氧树脂体系, 重塑了磨石体系及功能性地坪涂料体系。

In 2020, SOWER began to invest and build in China, with technologically advanced experimental testing and production equipment introduced from the United Kingdom and other places, combining the brand's own British cultural gene with traditional Chinese aesthetics, and always taking the diversification of the artistic style of building facades and interior walls as the design concept of paint products; Always committed to creating a combination of functional and artistic brand value; It always continues the style of serving the British royal family, and integrates the careful design and construction of each Chinese customer's application scenario.

SOWER is responsible for product technology development and application, and SOWER China is responsible for product promotion design and construction. In the face of China's vast market, Sower adopts the central drive extension strategy, marketing channels rely on the national regional central cities, and radiate to other cities, and now has established a solid distribution channel. It has set up the South China region with Guangzhou as the center, the North China region with Beijing as the center, the Central China region with Wuhan as the center, the southwest region with Chengdu as the center, and extends to the surrounding cities.

SOWER coatings takes multi-functional resins as the basic application development end, and mainly develops special materials such as high-performance polyurethane, PMMA resin, bismaleimide resin, special isocyanate, aliphatic isocyanate and acrylic resin, FEP, high-performance silicone resin. Based on this, the entire architectural coating system is reshaped, including various texture interior and exterior coating systems, such as latex paint, fluorocarbons paint, real stone paint, water in water, water in sand and other product series; At the same time, it has promoted the floor system coating to the industrial 5.0 system quickly, replacing the traditional epoxy resin system in the field of solvent-free silicone resin, and reshaping the grinding stone system and functional floor coating system.



在工业建筑领域 IN THE FIELD OF INDUSTRIAL BUILDINGS

硕尔(SOWER)涂料主攻地坪系统, 从高性能树脂体系材料, 到功能型应用涂料, 如防静电、防腐蚀、防渗、防爆地坪等系统的开发应用。

In the field of industrial buildings, SOWER coatings mainly focus on the development and application of floor systems, from high-performance resin system materials to functional application coatings, such as anti-static, anti-corrosion, anti-seepage, explosion-proof floor systems.



在公共建筑领域 IN THE FIELD OF PUBLIC BUILDINGS

硕尔(SOWER)涂料旨在为客户提供绿色、环保、艺术、人文、个性的差异化产品体系。从具有艺术特色的墙地一体的磨石系统、可擦洗耐污的墙面涂料到硅树脂、改性氟树脂为主材的新型地坪材料系统, 以解决传统地坪起皮、开裂、空鼓、使用寿命短等缺陷。

In the field of public buildings, SOWER coatings aims to provide customers with a differentiated product system of green, environmental protection, art, humanities and personality. From the artistic wall and ground integrated grinding stone system, scrubable and stain-resistant wall paint to the new floor material system with silicone resin and modified fluorine resin as the main material, to solve the defects of traditional floor peeling, cracking, empty drum, short service life and so on.



在民用建筑领域 IN THE FIELD OF CIVIL CONSTRUCTION

硕尔(SOWER)涂料主攻内外墙涂料, 以欧盟标准打造, 采用全新净味创新技术, 气味清新自然。源于英国的质优高纯度乳液, 形成致密漆膜, 具有耐擦洗性能, 墙面污渍更易清洁, 能长效防霉。

In the field of civil construction, SOWER coatings mainly focus on interior and exterior coatings, which are built to EU standards and adopt new clean and innovative technology to smell fresh and natural. High quality and high purity emulsion from the UK, forming a dense paint film, with scrubbing resistance, wall stains are easier to clean, and can be long-term anti-mildew.



硕尔涂料品牌真诚愿与海内外客户共发展, 牵手为美化人类环境, 为保护绿色家园而贡献自己的力量, 愿所有志同道合的企业, 社会精英人士与我们一起努力!

Suor paint brand sincerely wish to develop with customers at home and abroad, hand in hand to beautify the human environment, to protect the green home and contribute their own strength, wish all like-minded enterprises, social elites to work together with us!



UK SOWER

国际品牌与您共享

INTERNATIONAL BRANDS TO
SHARE WITH YOU

SOWER



荣誉资质

HONOR AND QUALIFICATION

专注行业百余年
只为给您更好的

Focus on the industry for more than 100 years
Just to give you better



产品目录

CONTENTS

建涂系列

冠晶石	coronite	01
水包水彩点	Watercolor dots in water	02
水包砂彩点	Water coated sand color dot	03
多彩中涂	Multicolored paint	04
外墙实色抗碱底漆	Solid alkali resistant primer for exterior walls	05
透明抗碱底	Transparent base resistant to alkali	06
荷叶耐候抗污罩面漆(哑光/高光)	Lotus Leaf Weather and Stain Resistant Finish (Matte/High Finish)	07
界面剂	Interface agent	08
无机涂料(优等品)	Inorganic Coatings (Top grade)	09
全彩砂真石漆	Interior wall pure flavor latex paint	10
水性氟碳漆实色(双组份)	Full color sand real stone paint	11
内墙净味乳胶漆	Waterborne fluorocarbon paint solid color (two-component)	12
雅晶石	Ya jing shi	13
丝绸金属	Silk Metal	14

水性工业漆系列

水性钢结构防腐漆	Waterborne anticorrosive paint for steel structure	15
水性ABS塑料专用漆	Waterborne ABS plastic paint	16
水性环氧防锈底漆	Water-based epoxy anti-rust primer	17
水性聚氨酯面漆	Waterborne polyurethane topcoat	18

国际品牌开创建装新时代

International brands are opening a new era of installation



CONSTRUCTION COATING SERIES

建涂系列



UK SOWER



CONSTRUCTION COATING SERIES

建涂系列



01-冠晶石

CROWN CRYSTAL STONE

► 产品介绍 | INTRODUCTION

冠晶石是一种新型外墙仿石漆材料,由天然彩色碎石粉、石英、大理石粉末等原料结合树脂、光固化剂等添加剂混合制成。其核心技术源于多彩仿大理石漆的工艺升级,通过特殊工艺高度还原天然石材的纹理和颜色,仿真度可达99%以上。该材料兼具耐磨性、抗刮性、抗污性及低碳环保特性,适用于建筑外墙装饰。

Coronite is a new type of exterior wall imitation stone paint material, which is made of natural colored stone powder, quartz, marble powder and other raw materials combined with resin, light curing agent and other additives. Its core technology is derived from the process upgrade of colorful imitation marble paint, and the texture and color of natural stone are highly restored through a special process, and the degree of imitation can reach more than 99%. The material has the characteristics of abrasion resistance, scratch resistance, dirt resistance and low carbon environmental protection, and is suitable for building exterior wall decoration.

► 适用范围 | SCOPE OF APPLICATION

可应用于混凝土、瓷砖等表面,常见于住宅、办公楼、酒店等建筑外墙。

Can be applied to concrete, tile and other surfaces, commonly seen in residential, office buildings, hotels and other building exterior walls.

► 产品特点 | PRODUCT CHARACTERISTICS



轻质安全

Lightweigh and safe



柔韧性好

Good flexibility



环保零污染


Environmental protection



高性价比

High cost performance

► 工艺图示 | PROCESS DIAGRAM





UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

02-水包水彩点

WATER PACK

WATERCOLOR DOTS

► 产品介绍 | INTRODUCTION

“水包水彩点”是一种水性乳胶漆涂料的分散水相，主要由连续相和分散相组成，两者均为水性涂料，因此称为水包水。

"Water-in-water color spot" is a kind of water-based emulsion coating dispersed water phase, mainly composed of continuous phase and dispersed phase, both of which are water-based coatings, so it is called water-in-water.

► 适用范围 | SCOPE OF APPLICATION

建筑外墙：适用于高层建筑、楼堂馆所、公寓豪宅等建筑外墙，是实现花岗岩豪华装修效果的高级饰面材料。

翻新改造：在旧房改造工程中，水包水彩点能有效减轻建筑荷载，实现豪华装修一步到位。

Building exterior wall: It is suitable for high-rise buildings, halls, apartments and other building exterior walls, and it is a senior finishing material to achieve the luxury decoration effect of granite.

Renovation: In the renovation project of the old house, the watercolor point of the water package can effectively reduce the building load and achieve the luxury decoration in one step.

► 产品特点 | PRODUCT CHARACTERISTICS



色彩丰富

colorful



抗静电

antistatic



环保


Environmental protection



耐高温

High temperature resistance

► 工艺图示 | PROCESS DIAGRAM



UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

03-水包砂彩点

WATER COATED

SAND COLOR POINT

► 产品介绍 | INTRODUCTION

水包砂彩点是一种新型的建筑涂料，属于热门的仿石涂料类别。它结合了水包水涂料和真石漆的优点，主要用于仿制荔枝面花岗岩石材产品。

Water coated sand dot is a new type of architectural coating, which belongs to the popular category of imitation stone coating. It combines the advantages of water-in-water paint and real stone paint, and is mainly used to imitate litchi granite stone products.

► 适用范围 | SCOPE OF APPLICATION

建筑外墙：适用于高层建筑、楼堂馆所、公寓豪宅等建筑外墙，是实现花岗岩豪华装修效果的高级饰面材料。

翻新改造：在旧房改造工程中，水包水彩点能有效减轻建筑荷载，实现豪华装修一步到位。

Building exterior wall: It is suitable for high-rise buildings, halls, apartments and other building exterior walls, and it is a senior finishing material to achieve the luxury decoration effect of granite.

Renovation: In the renovation project of the old house, the watercolor point of the water package can effectively reduce the building load and achieve the luxury decoration in one step.

► 产品特点 | PRODUCT CHARACTERISTICS



轻质安全

Lightweigh and safe



防火

Fire prevention



防水

Waterproof



施工便捷


Convenient construction



耐污性好

Good stain resistance

► 工艺图示 | PROCESS DIAGRAM





UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

04-多彩中涂

COLORFUL

MEDIUM PAINT

► 产品介绍 | INTRODUCTION

多彩中涂是以高科技研发而得的改性树脂及稳定性好的颜料制成，全水性，一次性喷涂的多彩花岗岩涂料，产生的色彩更逼真、更耐久，仿真程度可达到99%，是替代外墙花岗岩的更佳产品。

Colorful coating is made of modified resin and pigment with good stability obtained from high-tech research and development. It is water-borne and disposable colorful granite coating. The color produced is more realistic and durable, and the simulation degree can reach 99%, which is a better product to replace the external wall granite.

► 适用范围 | SCOPE OF APPLICATION

适用于高层建筑、楼堂馆所、公寓豪宅(豪宅装修效果图)等建筑外墙。

It is suitable for high-rise buildings, halls, apartments and mansions (mansion decoration renderings) and other building exterior walls.

► 产品特点 | PRODUCT CHARACTERISTICS



色彩丰富
Colorful



节能环保
Environmental protection




附着力强
Strong adhesion



耐久性好
Good durability

► 工艺图示 | PROCESS DIAGRAM



UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

05-外墙实色抗碱底漆

SOLID ALKALI RESISTANT

PRIMER FOR EXTERIOR WALLS

► 产品介绍 | INTRODUCTION

外墙实色抗碱底漆是采用质优原材料和先进的造漆工艺精制而成的一种新型水性高品质环保建筑装饰涂料，专为各种基面底材封闭碱性以防止水溶盐析出及随之而来的剥落，同时可节省面漆和提高面漆的装饰性能。

Solid color alkali-resistant primer for exterior wall is a new type of water-based high quality environmental protection architectural decoration coating made of high quality raw materials and advanced painting technology. It is designed to seal alkaline for various base materials to prevent water soluble salt from coming out and subsequent peeling, and can save the top paint and improve the decorative performance of the top paint.

► 适用范围 | SCOPE OF APPLICATION

抗碱底漆主要适用于新建或旧建筑物的内外墙基层表面，特别是含一定碱性的基层，如混凝土、砂浆面等。

Alkali resistant primer is mainly suitable for the inner and outer wall base surface of new or old buildings, especially the base containing a certain alkaline, such as concrete, mortar surface.

► 产品特点 | PRODUCT CHARACTERISTICS



渗透性强
Strong permeability



附着力强
Strong adhesion




耐腐蚀
Corrosion resistance



防水
Waterproof

► 工艺图示 | PROCESS DIAGRAM





UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

06-透明抗碱底漆

CLEAR ALKALI

RESISTANT PRIMER

► 产品介绍 | INTRODUCTION

透明抗碱底漆是一种特殊的涂料,其主要功能是在喷涂系统中保持耐碱性,密封底层,增强涂层附着力。它是一种透明度高、耐碱性强、密封性好的面漆。

Transparent alkali resistant primer is a special coating whose main function is to maintain alkali resistance in the spraying system, seal the bottom layer, and enhance the adhesion of the coating. It is a high transparency, alkali resistance, good sealing finish.

► 适用范围 | SCOPE OF APPLICATION

透明抗碱底漆广泛应用于各种喷涂系统,特别是在需要高耐碱性和良好密封性的场合。

Transparent alkali resistant primers are widely used in a variety of spraying systems, especially where high alkaline resistance and good sealing are required.

► 产品特点 | PRODUCT CHARACTERISTICS



保护墙壁
Protective wall



封闭性
Closure




耐腐蚀
Corrosion resistance



加固性好
Good reinforcement

► 工艺图示 | PROCESS DIAGRAM



底漆/Priming paint
基面/Base



UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

07-荷叶耐候抗污罩面漆(哑光/高光)

LOTUS LEAF WEATHER AND

STAIN RESISTANT FINISH (MATTE/HIGH FINISH)

► 产品介绍 | INTRODUCTION

荷叶耐候抗污罩面漆是一种采用德国进口无机硅树脂体系的罩面材料。有涂层透明,附着力较高,并防水、耐黄变和耐久功能,无毒环保等特点。适用于各类高档涂料配套,是真石漆、岩片漆、砂壁质感漆系统的配套产品。

Lotus leaf weather-resistant and stain-resistant finish is a kind of finish material which adopts inorganic silicone resin system imported from Germany. It has the characteristics of transparent coating, high adhesion, waterproof, yellowing resistance and durability, non-toxic and environmental protection. Suitable for all kinds of high-grade paint matching, is the real stone paint, rock sheet paint, sand wall texture paint system matching products.

► 适用范围 | SCOPE OF APPLICATION

适用于各种水泥墙面、砖瓦石头、玻璃、塑料、金属等材质的表面装饰与保护。

Suitable for all kinds of cement wall, brick stone, glass, plastic, metal and other materials surface decoration and protection.

► 产品特点 | PRODUCT CHARACTERISTICS



自洁抗污
Self-cleaning and stain resistant



强疏水性
Strong hydrophobicity




环保
Environmental protection



耐候性
Weather fastness

► 工艺图示 | PROCESS DIAGRAM



面漆喷涂/Topcoat spraying
中涂/Middle coat
底漆/Priming paint
基面/Base





UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

08-界面剂

INTERFACE

AGENT

► 产品介绍 | INTRODUCTION

界面剂选用高等聚合物乳液和纯进口高性能助剂配制,主要用于混凝土基层抹灰的界面处理,也可以用于大型砌块等表面处理。经该界面剂处理过的基层表面能够增加水泥砂浆对基层的粘结力,并具有较高的耐水、耐湿热、抗冻融性能,避免了抹灰层空鼓、起壳、脱落的现象。

The interface agent is made of high polymer emulsion and imported high performance additives, which is mainly used for the interface treatment of concrete base plaster, and can also be used for surface treatment of large blocks. The surface of the base layer treated by the interface agent can increase the bonding force of cement mortar on the base layer, and has high water resistance, moisture and heat resistance, freeze-thaw resistance, and avoid the phenomenon of the plaster layer empty, shell and fall off.

► 适用范围 | SCOPE OF APPLICATION

适用于瓷砖、大理石、水泥、砂浆、等表面,旧墙翻新或腻子施工前基面不稳定封固用。

Suitable for tile, marble, cement, mortar, and other surfaces, old wall renovation or putty construction before the base surface unstable sealing.

► 产品特点 | PRODUCT CHARACTERISTICS



施工便捷

Convenient construction



防潮防水

Moisture-proof and waterproof



性能持久


Performance persistence



环保无毒

Environmentally friendly and non-toxic

► 工艺图示 | PROCESS DIAGRAM



UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

09-内墙净味乳胶漆

INTERIOR WALL PURE

FLAVOR LATEX PAINT

► 产品介绍 | INTRODUCTION

采用净味新技术与漆膜功能结合的墙面漆,特有的天然抗菌防霉粒子,能长时间有效抑制墙面霉菌滋生。具有遮盖力高、色泽均匀丰满、手感好、施工性好,附着佳及耐碱性好等特点。

The wall paint with the combination of the new technology and the paint film function, the unique natural antibacterial and anti-mildew particles, can effectively inhibit the growth of mold on the wall for a long time. It has the characteristics of high hiding power, uniform and full color, good hand feel, good construction, good adhesion and good alkaline resistance.

► 适用范围 | SCOPE OF APPLICATION

适用于政府大楼,展览馆,娱乐场所以及各种住宅的内墙墙裙装饰,室内的装饰,可大面积施工。以及豪华家居及商业空间的新旧墙面涂刷。

Suitable for government buildings, exhibition halls, entertainment venues and a variety of high-end residential interior wall skirt decoration, interior decoration, can be large-scale construction. And paint new and old walls of luxury home and commercial Spaces.

► 产品特点 | PRODUCT CHARACTERISTICS



可调色

Adjustable color



耐久性佳

Good durability



环保零污染


Environmental protection



防霉抑菌

Anti-mold and anti-bacteria

► 工艺图示 | PROCESS DIAGRAM





UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

10-全彩砂真石漆

FULL COLOR SAND

REAL STONE PAINT

► 产品介绍 | INTRODUCTION

全彩砂真石漆具有附着力强、不泛白、不发花、硬度高等优秀品质，是一种性能优异的建筑内外墙装饰材料。具备卓越的户外耐候性，长久不褪色，保持天然石材经久耐用的特点。

Full color sand real stone paint has strong adhesion, no white, no flower, high hardness excellent quality, is a kind of excellent performance of building interior and exterior wall decoration materials. It has superior outdoor weather resistance, does not fade for a long time, and maintains the characteristics of natural stone durability.

► 适用范围 | SCOPE OF APPLICATION

适用于政府大楼，展览馆，娱乐场以及各种高层建筑的外墙裙装饰，室内的装饰，可大面积施工。

Suitable for government buildings, exhibition halls, entertainment venues and a variety of high-rise buildings of the outer wall skirt decoration, interior decoration, can be large-scale construction.

► 产品特点 | PRODUCT CHARACTERISTICS



耐候性

Weather fastness



耐水性

Water resistance



耐腐蚀


Corrosion resistance



耐磨

Wear-resistant

► 工艺图示 | PROCESS DIAGRAM



UK SOWER



CONSTRUCTION COATING SERIES

建涂系列

11-水性氟碳漆实色(双组份)

WATERBORNE FLUOROCARBON

PAINT SOLID COLOR (TWO-COMPONENT)

► 产品介绍 | INTRODUCTION

水性氟碳涂料，又称水性氟碳漆，是以水性氟碳树脂为主要成分的耐候性水性氟碳涂料，是专业建筑墙体的耐久水性涂料。水性氟碳涂料是一种具超长耐久性的，而且因其水溶性而更有利于环境保护和节约能源，造价也相应更加经济。

Water-based fluorocarbon paint, also known as water-based fluorocarbon paint, is a water-based fluorocarbon resin as the main component of weather-resistant water-based fluorocarbon paint, is a professional building wall durable water-based paint. Water-based fluorocarbon coating is a kind of ultra-long durability, and because of its water solubility, it is more conducive to environmental protection and energy saving, and the cost is correspondingly more economical.

► 适用范围 | SCOPE OF APPLICATION

适用于各种经适当处理的新旧外墙表面装饰、钢结构等。

Suitable for all kinds of properly treated new and old exterior wall surface decoration, steel structure, etc.

► 产品特点 | PRODUCT CHARACTERISTICS



耐水性

Lightweigh and safe



自洁抗污

Good flexibility



水性环保


Environmental protection



耐候性

High cost performance

► 工艺图示 | PROCESS DIAGRAM





UK SOWER



CONSTRUCTION COATING SERIES

建涂系列



12-无机涂料(优等品)

INORGANIC COATINGS

(TOP GRADE)

► 产品介绍 | INTRODUCTION

无机涂料是以无机硅酸盐为主粘结料,配合一定的助剂和颜填料制得的涂料,具有难燃或不燃的具特性能,此产品防火等级可达到A2级,是一款具备低碳、节能、环保、防火等性能的功能性涂料。

Inorganic coating is the inorganic silicate binder, with certain additives and fillers made of paint, with flame retardant or non-combustible characteristics, this product fire rating can reach A2 level, is a low carbon, energy saving, environmental protection, fire protection and other performance of the functional coating.

► 适用范围 | SCOPE OF APPLICATION

无机涂料适用于宾馆、别墅、酒店、医院、娱乐场所等对环保、耐候、防火要求很高的外墙墙面的装饰和保护。

Inorganic coatings are suitable for the decoration and protection of the external walls of hotels, villas, hotels, hospitals, entertainment places, etc., which require high environmental protection, weather resistance and fire protection.

► 产品特点 | PRODUCT CHARACTERISTICS



防潮防霉

Moisture-proof and mildew proof



硬度高

High hardness



防火


Fire prevention



韧性高

High toughness

► 工艺图示 | PROCESS DIAGRAM



UK SOWER



CONSTRUCTION COATING SERIES

建涂系列



13-雅晶石

YA JING SHI

► 产品介绍 | INTRODUCTION

雅晶石是一种与天然石材相似的艺术涂料,表现质感效果独特,抗碰撞和冲击,防水透气,能有效覆盖墙面细小裂纹,防潮吸音,质感强烈,表现力丰富。雅晶石纹理古朴典雅、纵横交错、风情浪漫,可做出“横竖型”“乱纹”“斜纹”等多种效果。

Yajing stone is a kind of art coating similar to natural stone, which has unique texture effect, anti-collision and impact, waterproof and breathable, can effectively cover fine cracks on the wall, moisture-proof and sound-absorbing, strong texture and rich expression. Elegant crystal stone texture simple and elegant, criss-cross, romantic style, can make "horizontal and vertical", "random", "twill" and other effects.

► 施工方式 | CONSTRUCTION METHOD

施工方式:刷涂、辊涂、刮涂

用量:细砂0.6-0.8,中砂1-1.3


Construction method: brush coating, roll coating, scraping coating
Dosage: fine sand 0.6-0.8, medium sand 1-1.3

► 施工条件 | CONSTRUCTION CONDITION

- 1、必须在室温8°C以上,相对湿度85%以下的环境中施工;
- 2、基层应平整、牢固、干燥,且经过清洁处理;
- 3、墙体表面湿度不大于12%,PH值小于10。

- 1, must be in the room temperature above 8°C, relative humidity below 85% of the environment construction;
- 2, the base should be smooth, firm, dry, and clean treatment;
- 3, the wall surface humidity is not more than 12%, PH value is less than 10.

► 工艺图示 | PROCESS DIAGRAM





UK SOWER



CONSTRUCTION COATING
SERIES

建涂系列

14-丝绸金属 SILK METAL

► 产品介绍 | INTRODUCTION

丝绸金属是一款具有丝绸般触感与光泽的室内环保装饰涂料。本产品通过涂刷或旋转施工完成的效果,透过光的变化呈现特殊的丝绸般的阴阳面变化,用光与色的变化达到如丝如缎般的视觉效果,使用该产品装修后的室内环境尊贵典雅,符合当前空内装修趋势。

Silk metal is an environmentally friendly interior decoration coating with silky touch and gloss. Through the effect of painting or rotating construction, this product presents a special silk-like Yin and Yang surface change through the change of light, and the change of light and color achieves a silk-like visual effect. The indoor environment after using this product is noble and elegant, which is in line with the current trend of empty interior decoration.

► 施工说明 | CONSTRUCTION DESCRIPTION

施工方式: 刷涂、辊涂、刮涂

用量: 6-8平方米/公斤(两道)

稀释: 用不锈钢抹子批刮时不用稀释。滚涂施工最大的稀释剂量(水)不大于10%,夏季施工注意干燥时间,根据干燥速度添加相应量的缓干剂。

Construction method: brush coating, roll coating, scraping coating

Dosage: 6-8 square meters/kg (two tracks)

Dilution: Do not dilute when scraping with stainless steel trowel batch. The maximum dilution dose (water) of rolling coating construction is not more than 10%, pay attention to the drying time in summer construction, and add the corresponding amount of slow drying agent according to the drying speed.

► 施工条件 | CONSTRUCTION CONDITION

1、必须在室温8°C以上,相对湿度85%以下的环境中施工;

2、基层应平整、牢固、干燥,且经过清洁处理;


3、墙体表面湿度不大于12%,PH值小于10。

1, must be in the room temperature above 8°C, relative humidity below 85% of the environment construction;

2, the base should be smooth, firm, dry, and clean treatment;

3, the wall surface humidity is not more than 12%, PH value is less than 10.

► 工艺图示 | PROCESS DIAGRAM



国际品牌开创建装新时代


International brands are
opening a new era of installation



UK SOWER

WATERBORNE INDUSTRIAL
PAINT SERIES

水性工业漆系列





UK SOWER



WATERBORNE INDUSTRIAL
PAINT SERIES

水性工业漆系列



16-水性钢结构防腐漆

WATERBORNE ANTICORROSIVE
PAINT FOR STEEL STRUCTURE

► 产品介绍 | INTRODUCTION

水性钢结构防腐漆是一种采用水作为稀释剂,具有优异防腐性能的环保型涂料,主要用于钢结构的防腐保护。以特定的树脂为主要成膜物质,辅以耐候颜料、助剂、固化剂等制成。

Waterborne steel structure anticorrosive paint is a kind of environmental protection coating with excellent anticorrosive properties using water as diluent, which is mainly used for anticorrosive protection of steel structure. It is made with specific resin as the main film forming material, supplemented with weather-resistant pigments, auxiliaries and curing agents.

► 适用范围 | SCOPE OF APPLICATION

适用于高层、桥梁、高速公路围栏、船舶、机电、钢材等需要保护的建筑物和设施。

It is suitable for high-rise buildings, Bridges, highway fences, ships, mechanical and electrical, steel and other buildings and facilities that need protection.

► 产品特点 | PRODUCT CHARACTERISTICS



耐候性

Weather fastness



耐水性

Water resistance



耐沾污性


Resistance to contamination



防霉

Mildew proof

► 工艺图示 | PROCESS DIAGRAM



UK SOWER



WATERBORNE INDUSTRIAL
PAINT SERIES

水性工业漆系列



17-水性ABS塑料专用漆

WATERBORNE ABS
PLASTIC PAINT

► 产品介绍 | INTRODUCTION

水性ABS塑料专用漆是一种环保型涂料,专为ABS塑料基材设计,具有出色的性能和广泛的应用。

Waterborne ABS plastic paint is an environmentally friendly paint designed for ABS plastic substrates, with excellent performance and a wide range of applications.

► 适用范围 | SCOPE OF APPLICATION

水性ABS塑料专用漆主要适用于以ABS为材质的汽车塑胶内饰零部件、电动车外壳塑胶部件以及各种机壳、玩具外壳的表面涂装。

Water-based ABS plastic special paint is mainly used for ABS as the material of automotive plastic interior parts, electric vehicle shell plastic parts and a variety of shell, toy shell surface coating.

► 产品特点 | PRODUCT CHARACTERISTICS



附着力强

Strong adhesion



耐腐蚀性

Good flexibility



环保无毒

Environmental protection



耐磨性


High cost performance



耐候性

High cost performance

► 工艺图示 | PROCESS DIAGRAM





UK SOWER



WATERBORNE INDUSTRIAL
PAINT SERIES

水性工业漆系列

18-水性环氧防锈底漆

WATER-BASED EPOXY

ANTI-RUST PRIMER

► 产品介绍 | INTRODUCTION

水性环氧防锈底漆以水性环氧树脂体系为基料,加入颜料、填料和助剂,经过特定工艺制成。

Water-based epoxy anti-rust primer is made by using water-based epoxy resin as the base material, adding pigment, filler and auxiliary agent.

► 适用范围 | SCOPE OF APPLICATION

适用于工厂、仓库、停车场、船舶、桥梁、海上钻井平台、钢结构、工业零部件等多种工业和民用场景。

Applicable to factories, warehouses, parking lots, ships, Bridges, offshore drilling platforms, steel structures, industrial parts and other industrial and civil scenarios.

► 产品特点 | PRODUCT CHARACTERISTICS



防腐防锈

Corrosion and
rust prevention



附着力强


Strong
adhesion



环保

Environmental
protection

► 工艺图示 | PROCESS DIAGRAM



UK SOWER



WATERBORNE INDUSTRIAL
PAINT SERIES

水性工业漆系列

19-水性聚氨酯面漆

WATERBORNE

POLYURETHANE TOPCOAT

► 产品介绍 | INTRODUCTION

水性聚氨酯面漆是一种结合了水性环保特性与聚氨酯树脂优良性能的涂料。

Waterborne polyurethane topcoat is a coating that combines the environmental properties of water and the excellent properties of polyurethane resin.

► 适用范围 | SCOPE OF APPLICATION

广泛应用于建筑、金属制品、家具和道路设施等领域。例如,在建筑行业中,它适用于外墙、内墙、地面、屋顶等建筑物的涂装;在金属制品领域,它可用于金属制品、钢结构、船舶、车辆等表面的涂装;在家具行业中,它适用于家具、橱柜、门板等木制品的涂装;在道路设施方面,它适用于道路标线、桥梁、隧道等设施的保护涂装。

Widely used in construction, metal products, furniture and road facilities and other fields. For example, in the construction industry, it is suitable for the painting of external walls, internal walls, floors, roofs and other buildings; In the field of metal products, it can be used for metal products, steel structures, ships, vehicles and other surface coating; In the furniture industry, it is suitable for furniture, cabinets, door panels and other wood products painting; In terms of road facilities, it is suitable for the protection of road marking, Bridges, tunnels and other facilities.

► 产品特点 | PRODUCT CHARACTERISTICS



耐候性

Weather
fastness



耐磨性

Abrasion
resistance



抗化学腐蚀性

Chemical
resistance



硬度高

High
hardness



抗冲击

Impact
resistance



附着力强

Strong
adhesion

► 工艺图示 | PROCESS DIAGRAM

